## EGD INSTRUCTIONS (Harford Endoscopy Center)

Patient Name:	DOB:
<ul> <li>your prescribing p</li> <li>7 Days Prior to 1</li> <li>5 Days Prior to 1</li> <li>325mg.</li> </ul>	Exam: Stop taking the following: Brillinta (ticagrelor) ~ Effient (prasugrel).  Exam: Stop taking the following: Coumadin (warfarin) ~ Plavix (clopidogrel) Aspirin
Xarelto (rivarox	Exam: Stop taking the following: <i>Pradaxa</i> (dabigatran etexilate) ~ Eliquis (apixaban) ~ aban).  OES NOT have to be discontinued.
<ul> <li>For proce</li> </ul>	eat or drink anything after MIDNIGHT the night prior to your exam. edures scheduled at 2:00 pm or later, you may have a clear liquid diet until 8:00 am. by mouth after 8:00 am.
	take Heart, Blood Pressure, Seizure medications, and Inhalers. Please take these ons with a small amount of water at least 2 hours prior to your arrival time.
	Arrive at am/pm.
Please go to:	Harford Endoscopy Center  2214 Old Emmorton Road, Suite 100, Bel Air, MD 21015  410.838.6345 • www.harfordendoscopy.com

other public transportation is NOT acceptable.

Please do not wear jewelry or bring valuables to the Center on the day of your procedure.

If you must cancel this appointment, please give a 72-hour notice.

Please bring your Insurance Card (s) and Photo ID on the day of your procedure. You MUST be accompanied by a responsible ADULT that will stay and transport you home from the facility. If your companion is not on site your procedure will be cancelled. A cab, Uber service or any

Version 4/7/2022 Scheduled by: \_\_\_\_\_